

# **ALCOHOL LIQUID HAND SANITISER** 100ml

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 26/03/2020 Version: 10.3

Generated : 26/03/2020

#### **ALCOHOL LIQUID HAND SANITISER 100ml**

**B4010** 

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND	OF THE COMPANY / UNDERTAKING
Company Name:	BlueOcean Global Unit 8, Axial Way, Easter Park, Colchester, Essex CO4 5WY
Product Name:	Hand Sanitiser
Use / description of product:	Alcoholic solution
2. COMPOSITION / INFORMATION ON INGREDIENTS	
Ingredient 1:	Ethanol 70-94% (GAS No) 64-17-5 EINECS: 200-578-6 [FI RII; [Xi] R36; [-] R67;
Ingredient 2:	HYDROGEN PEROXIDE SOLUTION <10%  GAS: 7722-84-1  EINECS: 231-765-0  [OJ R8; [CI R34;
Contains:	Purified Water and glycerol
3. HAZARDS IDENTIFICATION	
Main hazards:	Highly flammable. Irritating to eyes. Vapours may cause drowsiness and dizziness.
4. FIRST AID MEASURES (SYMPTOMS)	
Skin contact:	There may be mild irritation at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	There may be confusion, aggressive behaviour, slurred speech and staggering walk. Severe poisoning can cause unconsciousness and severe and persistent nausea and vomiting. Convulsions may occur.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Absorption through the lungs can occur causing symptoms similar to those of ingestion.
4. FIRST AID MEASURES (ACTION)	
Skin contact:	Respiratory irritation. Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin.
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
Ingestion:	If conscious, give 1 pint of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.
Inhalation:	Remove casualty from exposure ensuring one's own safety

apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as



# BlueOcean Global Hand Sanitiser Safety Data Sheet

Issued: 26/03/2020 Revision No: 01

**5. FIRE-FIGHTING MEASURES** 

Extinguishing media: Carbon dioxide. Alcohol resistant foam.

Exposure hazards: Highly flammable. Vapour may travel considerable distance to

source of ignition and flash back. In combustion emits toxic fumes. In combustion emits toxic fumes of carbon dioxide

and carbon monoxide.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective

clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions: Eliminate all sources of ignition.

Environmental precautions: Contain the spillage using bunding.

Clean-up procedures: Mix with sand or vermiculite. Wash the spillage site with large

amounts of water. For small spills, absorb on to paper and

allow to evaporate in a fume cupboard.

7. HANDLING AND STORAGE

**Handling requirements:** Ensure there is sufficient ventilation of the area. Smoking is

forbidden.

Storage conditions: Store in cool, well ventilated area. Keep away from sources of

ignition. Keep container tightly closed. Ensure lighting and

electrical equipment are not a source of ignition.

Suitable packaging: Polyethylene. Should be kept in original packaging

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering measures:** Ensure there is sufficient ventilation of the area. Ensure

lighting and electrical equipment are not a source of ignition.

**Hand protection:** Protective gloves.

**Eye protection:** Safety goggles. Ensure eye bath is to hand.

Skin protection:Light overallsTWA (8 hr exposure limit):999 mg/m3STEL (15 min exposure limit):1250 mg/m3

9. PHYSICAL AND CHEMICAL PROPERTIES

State:LiquidColour:ColourlessOdour:Alcoholic

Oxidising: Non-oxidising (by EC criteria)

**Evaporation rate:** Moderate **Solubility in water:** Soluble

Also soluble in: Most organic solvents.

Boiling point/range°C: 83

Melting point/range°C: -90

Flammability limits %: lower: 2

upper: 12

Flash point°C: 20 - 21
Autoflammability°C: 425

Vapour pressure: 41 mbar @20C

Relative density: 0.875



# BlueOcean Global Hand Sanitiser Safety Data Sheet

Issued: 26/03/2020 Revision No: 01

### 10. STABILITY AND REACTIVITY

Stability:Stable under normal conditions.Conditions to avoid:Heat. Sources of ignition. Flames.

Materials to avoid: Oxidising agents.

Haz. decomp. products:

In combustion emits toxic fumes of carbon dioxide and

carbon monoxide.

#### 11. TOXICOLOGICAL INFORMATION

Acute toxicity: Not classified Skin corrosion/irritation: Not classified

**pH:** 5-7

Serious eye damage/irritation: Not classified

**pH:** 5-7

Respiratory or skin sensitisation:Not classifiedGerm cell mutagenicity:Not classifiedCarcinogenicity:Not classifiedReproductive toxicity:Not classifiedSpecific target organ toxicity (single exposure):Not classifiedSpecific target organ toxicity (repeated exposure):Not classifiedAspiration hazard:Not classified

## 12. ECOLOGICAL INFORMATION

Mobility:Soluble in water.Persistence and degradability:Biodegradable.

**Bioaccumulative potential:**No bioaccumulation potential.

Other adverse effects: The product is rated as non-hazardous to aquatic species

Bacterial inhibition tests have shown that the material is not

inhibitory to biomass

#### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

No additional information available

## 14. TRANSPORT INFORMATION

ADR / RID

 UN no:
 1170

 ADR Class:
 3

 Hazard ID no:
 33

Labelling:

•

Shipping name: Ethanol

IMDG / IMO

UN no: 1170
Class: 3
Packing group: II
EmS: 3-06
Marine pollutant: NO
Labelling: Ethanol



# BlueOcean Global Hand Sanitiser Safety Data Sheet

Issued: 26/03/2020 Revision No: 01

# 14. TRANSPORT INFORMATION [cont.]

IATA / ICAO

 UN no:
 1170

 Class:
 3

 Packing group:
 II

 Quantity:
 5L

 Labelling:
 Ethanol

## 15. REGULATORY INFORMATION

Hazard symbols:



Irritant.

Highly flammable.

Risk phrases: R11: Highly flammable.

R36: Irritating to eyes.

Safety phrases: S7: Keep container tightly closed.

S16: Keep away from sources of ignition - No smoking.S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

**NOTE:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

# **16. ADDITIONAL INFORMATION**

Risk phrases used in S.2:

R11: Highly flammable.

R36: Irritating to eyes.

R8: Contact with combustible material may cause fire.

R34: Causes burns.

LEGAL DISCLAIMER: THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. THIS COMPANY SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.